

**VINNO<sup>X2</sup>**

Compact, Intelligent, Remarkable



**VINNO**

**VINNO Technology (Suzhou) Co., Ltd.**

5F, A Building, No.27 Xinfu Rd, Suzhou Industrial Park, 215123, China

Tel: +86 512 62873806

Fax: +86 512 62873801

Email: [vinno@vinno.com](mailto:vinno@vinno.com)

Website: [www.vinno.com](http://www.vinno.com)

VINNO reserves the rights to revise the technical specifications if needed.

**VINNO**

Due to powerful 4D function, sensitive waves and color Doppler performance, X2 is sufficient to fulfill versatile clinical application. Its ergonomics and intelligence ensure high efficient daily work.

- » Remarkable Performance
- » Intelligent Workflow
- » Ergonomic Design




## Remarkable Performance

### » Outstanding B mode image quality with advanced image technology


- VFusion
- VSpeckle
- Pulse Inversion Harmonic

### » Sensitive color Doppler due to RF-Flow technology

Based on VINNO's innovation RF platform, RF-Flow is very sensitive to blood flow with slow velocity or in deep vessel.



### » Powerful 4D imaging technology with extended application tools optional



## Intelligent Workflow

### » Intuitive touch panel operation

Multiple functions can be easily accessed with your fingers.




### » Easy patient data management



### » Raw data post process

Image Optimization  
Measurement Analysis




### » Auto IMT

Automatically measures Intima-Media Thickness in interest area and provides the measurement result in easy, fast and accurate approach.



Bladder



Carotid



Early Pregnancy—write Zoom



Fetal Face 3d



Fetal Details




Kidney



nodule in thyroid



gallstone in chroma



Appendicitis



Fetal Ear 3d



# Ergonomic Design

Its ergonomic design makes your daily work more comfortable and highly efficient.



 **Bluetooth™**  
Instant transfer images to mobile



  
Convenient transfer image: Through email users can transfer image to their mobile device



articulating arm



lifting control panel



three probe ports



